
Starter Documentation

Release 0.4.1

Kirill Klenov

Sep 27, 2017

Contents

I	Requirements	3
II	Installation	7
III	Usage	11
IV	Bug tracker	15
V	Contributing	19
VI	License	23

Welcome to Starter's documentation. Creates the sceleton for new projects.

Similar to the template part of PasteScript, but uses Jinja templates.

copyright 2013 by Kirill Klenov.

license BSD, see LICENSE for more details.

Part I

Requirements

- python >= (2.6, 2.7, 3.3)

Part II

Installation

Starter should be installed using pip:

```
pip install starter
```


Part III

Usage


```
$ starter --help
usage: starter [-h] [-s SOURCE] [-l {debug,info,warn,error,critical}]
              [-c CONFIG] [-x [CONTEXT [CONTEXT ...]]] [-v]
              TEMPLATES [TARGET]

positional arguments:
TEMPLATES              Clone templates (comma separated list)
TARGET                 Target path

optional arguments:
-h, --help             show this help message and exit
-s SOURCE              Template's source
-l {debug,info,warn,error,critical}
                        Verbose level (info)
-c CONFIG, --config CONFIG
                        Path to configuration file
-x [CONTEXT [CONTEXT ...]]
                        Define context (NAME:VALUE)
-v, --version          Show Starter version
```


Part IV

Bug tracker

If you have any suggestions, bug reports or annoyances please report them to the issue tracker at <https://github.com/klen/starter/issues>

Part V

Contributing

Development of starter happens at github: <https://github.com/klen/starter>

Part VI

License

Licensed under a [BSD license](#).

S

starter (module), [1](#)